Page 1

28-13 10:47:22 AM Item ID: D3183-9 Accept *N900040100* Setup Start Revision ID: Item Name: Cap Stop Start Qty: 60,00 Start Date: 3/27/13 Cust Item ID: Required Date: 3/27/13 Req'd Qty: 69.00 Customer: Reference: Run Approvals: Process Plan: MUJ Date: 13-03-28 Tooling: Date: Stop QC: Date: SPC (Y/N): Date: Sequence ID/ Operation Set Up/ Tool # Plan Tool ID Reject Accept Reject Insp. Work Center ID Description Run Hours Qty Qty Number Code Stamp Draw Nbr Revision Nbr D3183 Rev C1 100 0.00 Hardinge CNC LATHE SMALL *100* Hardinge 0.00 Memo Hardinge CNC Lathe Small Turn D3183-9 Cap as per Folio FA388Deburr 110 QC2- Inspect parts off machine FAI/FAIB 13/04/08 *110* QC 0.00 Memo Quality Control QC8-Inspect parts - second check 120 0.00 *120* St 13-04-11 Quality Control

March-28-13 10:47:22 AM

98952

Page 2

Item ID:

D3183-9

Accept

N900040100

Setup Start

N.S2

Revision ID:

Start Date:

Cap Item Name:

Required Date: 3/27/13

3/27/13

Start Qty: 60.00 Req'd Qty: 60.00 *60* *60*

Cust Item ID:

Customer:

Reference:

Approvals:

Process Plan:

QC:

Date:

Date:

Tooling:

SPC (Y/N):

Set Up/

Run Hours

Date:

Tool ID

Date:

Tool # Plan

Code

Run

Reject

Qty

Start

Reject

Number

Stop

Insp.

Stamp

Sequence ID/ Work Center ID

130

130

Packaging Packaging

Operation Description

Identify as per dwg & Stock Location

Memo

0.00

Accept

Qty

140

QC21- Final Inspection - Work Order Release

0.00

140

Memo

0.00

Quality Control

Picklist Print

March-28-13 10:47:22 AM

Work Order ID:

98952

Parent Item:

Comments:

D3183-9

Parent Item Name:

Cap

IPP A 06.05.03 New issue KJ

Start Date: 3/27/13

Start Qty: 60.00

Required Date: 3/27/13

Page 1

Required Qty: 60.00

| Component Item ID/ Item Name | Replacement Item ID | Mfg/ Purch | Bin Item | Primary Location | Last Location | Route Seq ID | Unit of Measure | Qty on Hand | Qty per Kit | Total Qty | Qty Issued | Date Issued | Status |
|--------------------------------------|------------------------|---------------|-------------|---------------------|------------------|-----------------|--------------------|----------------|-------------|--------------|---------------|----------------|--------|
| MDELRINR1.000 Delrin Round Bar 1" | | Purchased | No | | | 100 | f | 2.6700 | 0.0333 | 2.1031579 | 70 | 13/04 | 1/08 |

Loc Qty

2.67

2.67

Loc Code

This Ball of Book of Book of Book of Book of the Book

121971

124942

Location

MAT018

| DART AEROSPACE LTD | Work Order: | 98952 | |
|-------------------------------|--------------|-------------|--|
| Description: Cap | Part Number: | D3183-9 | |
| Inspection Dwg: D3183 Rev: C1 | | Page 1 of 1 | |

| Drawing Imension | Tolerance | Actual Dimension | Accept | Reject | Method of Inspection | | mments |
|---------------------|-----------|---------------------|--------|-------------|-------------------------|-----------|--|
| 00.830 | +/-0.005 | -829 | 1 | | VERN | PHD-C | 1 |
| 20.720 | +/-0.002 | .719 | 1 | | 10 | 1 | |
| 00.747 | +/-0.001 | .747 | 1 | | 14 | | |
| 30.010 | +/-0.010 | R.010 | V | | RG | | THE STATE OF THE S |
| R6:031 | +/-0.010 | 8.031 | / | | RG | | |
| 0 199 | +/-0.001 | . 199 | 1 | | VERN | PHD-0 | |
| 3 276 | +/-0.010 | .277 | / | | 15 | 140-0 | |
| 0.039 | +/-0.010 | .037 | 1 | 1 | n. | 11 | |
| | | | | | | | |
| sured by: P | 0 3/04/08 | Audited by | 1,1 | _St -11 | Prototype | Approval: | N/A N/A |



D3183-045 BEARING ASSEMBLY (1)

D3121-21 BOLT (1)


DEO ATTACHED

D3121-21 BOLT (1) D3183-045 BEARING ASSEMBLY (1)

D3183-1 BRACKET FOR -041 (SHOWN)
OR
D3183-2 BRACKET FOR -042 (OPPOSITE)
OR
D3183-3 BRACKET FOR -043 (SIMILAR)

D3183-4 BRACKET FOR -044 (SIMILAR)

D3183-041 BRACKET ASSEMBLY (SHOWN)
D3183-042 BRACKET ASSEMBLY (OPPOSITE)
D3183-043 BRACKET ASSEMBLY (SIMILAR)
D3183-044 BRACKET ASSEMBLY (SIMILAR)





D3183-5 BEARING: SPECIFICATION CONTROL DRAWING

- 1) SINGLE ROW, DEEP GROOVE, CONRAD TYPE, SHIELDED
- 2) POSSIBLE SUPPLIER: NSK P/N 6800ZZ
- 3) ALL DIMENSIONS ARE IN INCHES


D3183-7 WASHER 1) MATERIAL: AISI 303

- 1) MATERIAL: AISI 303 ROUND BAR (M303R) ANNEALED
- 2) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES







IS FRICATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD. 2



DETAIL A (2:1)





D3183-9 CAP

- 1) MATERIAL: DELRIN ROD, Ø1.00 (REF DART SPEC. M-DELRIN-R1.00) 2) TOLERANCES ARE PER DART QSI 018
- UNLESS OTHERWISE NOTED
 3) ALL DIMENSIONS ARE IN INCHES

D3183-045 BEARING ASSEMBLY

1) ASSEMBLE D3183-5 BEARING AND D3183-9 CAP

COPYRIGHT @ 2003 BY DART AEROSPACE LTD.

THE AND SOMEDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

52988

| D3183 | Ment I | BRACKET ASSEMBLY | | DART AEROSPACE ENGINEERING OR | | D.E.O. NO. D3183-C1-1 | SHEET NO. SCAL | |
|-------|----------|------------------|----------|----------------------------------|---|--------------------------|----------------|--|
| DRAWN | go | CHECKED | _14 | MFG. APPR. | A | PPROVED AN | DE APPR. | |
| DATE | 10.05,14 | DATE | 10.06.30 | DATE (0.06.30 | D | ATE 10/06/30 | DATE 10/06/30 | |

D3183-5 BEARING

ADD POSSIBLE SUPPLIER: KML P/N 6800-ZZ

BASIC LOAD RATING REQUIREMENT:

Cr = 1720 N (386 lb) MIN [DYNAMIC]

Cor = 840 N (188 lb) MIN [STATIC]

REF PAR 10-012

